

mag factor 95%  
barcode number  
9315138053103

**HOW TO USE**

- DO NOT spray if weeds are wilted by dry or cold weather.
- DO NOT spray if rain is likely within four hours.
- DO NOT use on ST varieties of Buffalo Grass.

SITUATION	WEEDS CONTROLLED	APPLICATION RATE	HOW TO APPLY
Established Buffalo (except ST varieties) Couch, Bent, Kikuyu, Paspalum, Fescue, Rye Lawns and Turf.	Bindii (Jo-Jo), Catsear, Clover (Not Tas.), Creeping Oxalis, Cudweed, Dandelion, Plantain, Thistles.	Contents (2L) treats 200 Sq.m.	Apply evenly over the area to be treated. Do not mow turf for 2 days after treatment. Slight browning of grass may occur under hot conditions. More than one application may be required for clover control.

BATCH NO.:

D.O.M.:

APVMA Approval No: 67653/56543

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.**

**GENERAL INSTRUCTIONS**

1. Measure lawn area before application to ensure correct dose rate is applied.
  2. Shake the pack well before applying.
  3. Remove two-pinned plug from the top of the hose applicator (A)
  4. Connect hose to applicator (B) and turn on tap. (At this stage, only water will be sprayed.)
  5. When ready to apply contents, place your finger over the small hole (C) on the side of the applicator. The tap water will mix with mixture automatically in the correct ratio.
  6. Walk and spray at a steady pace, whilst sweeping the spray in a back and forth arc. Overlap treated areas slightly.
  7. To stop spraying mixture simply remove finger from hole (C).
  8. On completion, insert two-pinned plug (A) to seal holes.
- Weeds will die slowly and effects may take up to 3 weeks to appear.



**CAUTION:** Dangerous to fish. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT feed treated grass clippings to livestock. DO NOT allow spray to contact or drift onto plants you do not want killed.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

**SAFETY DIRECTIONS:** Product is poisonous if inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray wear elbow-length PVC gloves and face shield or goggles. If product on skin immediately wash area with soap and water. If product in eyes wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use wash gloves and face shield or goggles.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

JC & AT Searle Pty Ltd 4914 D'Aguilar Hwy, KILCOY QLD 4515  
ABN 14 002 898 893 Phone: (07) 5422 3000 www.searles.com.au

**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS



**Buffalo Master®**

Selective Weedkiller

**READY TO USE**

ACTIVE CONSTITUENTS: 12 g/L BROMOXYNIL present as the octanoate ester  
12 g/L MCPA present as the 2-ethylhexyl ester  
SOLVENT: 20 g/L LIQUID HYDROCARBONS

For control of  
Bindii, Clover, Oxalis & other weeds  
in Buffalo & other lawns  
as indicated in How to Use table.

2L Treats 200 Square Metres



2 Litre