

DIRECTIONS FOR USE

HOW TO USE • DO NOT mow turf for at least 3 days before or after spray application. • DO NOT apply if rain is expected within 8 hours.
• DO NOT apply to Lippia, Strawberry clover, Buffalo or Saltene (*Paspalum notatum*) lawns.

SITUATION	WEEDS CONTROLLED	RATE	HOW TO APPLY
Lawns & Turf (except Lippia, Strawberry Clover, Buffalo or Saltene (<i>Paspalum notatum</i>) Lawns).	Bindii, Clover, Chickweed, Creeping Oxalis (not TAS), Cudweed, Dock, Dandelions, Flatweed, Fleabane, Lamb's Tongue, Sowthistle, Mullumbimby Couch.	COVER SPRAY: 20mL in 2 L of water, spray over 10m ² . SPOT SPRAY: Mix 60mL in 10 L water and wet weeds thoroughly.	Spray annual weeds when young and vigorous and perennial weeds just prior to flowering, when soil is moist. Thoroughly wet foliage and avoid excess runoff. For effective control of Mullumbimby Couch, spray in warmer months (November and December), when weed is actively growing. Respray any remaining weeds in 3-4 weeks. To avoid damage to lawns, do not exceed recommended rates or spray intervals.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

HOW TO PREPARE:

Product can be applied in most garden sprayers. Avoid using fine droplets as this will increase spray drift. Fill sprayer with water and add chemical last. For more effective wetting, add wetting agent to final solution. Weeds are killed by absorption through the leaf and root system of susceptible weeds. It is important to apply the recommended spray mixture when the weeds are young and actively growing and soil moist. Results may take time to become evident. If necessary to re-spray, allow an interval of 3-4 weeks.

CAUTION:

DO NOT allow spray to contact other plants that you do not want killed. DO NOT allow chemical containers or sprays to get into drains, sewers, streams or ponds. DO NOT feed lawn or grass clippings from treated areas to poultry or animals.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, dry place, out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS:

Harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. Do not inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131126).

J.C. & A.T. Searle Pty. Ltd.
4914 D'Aguilar Highway, KILCOY QLD 4515
PH: (07) 5422 3000
www.searlesgardening.com.au

APVMA No.: 55445/105151
Batch No.:
D.O.M.

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Lawnweeder

Selective
Weed Killer

ACTIVE CONSTITUENTS:

19 g/L DICAMBA
present as the dimethylamine salt
112 g/L MCPA
present as the dimethylamine salt
192 g/L BENTAZONE
as the sodium salt

For the control of
Mullumbimby couch,
and broadleaf weeds
in domestic lawns
and turf