

Systemic control of Black Spot, Powdery Mildew and Rust. Kills aphids, thrips, caterpillars, budworm and mites on roses and ornamental. Works via contact and stomach action.

HOW TO USE

- DO NOT mix with other insecticides or fungicides. • DO NOT apply if rain is expected within 24 hours.
- DO NOT apply when shade temperatures are 30°C or higher.
- DO NOT apply when soil is dry and plants are suffering from moisture stress.

PLANT	PEST OR DISEASE	RATE	HOW TO APPLY
Roses (all types), other Ornamentals (shrubs, flowering annuals & perennials)	Aphids, Caterpillars (<i>Helicoverpa</i> spp. Native Budworm, Corn Earworm), Thrips, Two-spotted Mite, Whitefly, Black Spot (roses), Powdery Mildew, Rust	10 mL per litre of water OR 7.5 mL per 750 mL water in a trigger pack	Spray thoroughly including undersides of foliage. Commence spraying when new shoots sprout in Spring or at first sign of insects or disease. Repeat at 14 day intervals if required. Two-spotted Mites may require more frequent applications.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.

APVMA Approval No.: 65843/52151

HOW TO PREPARE:

Shake bottle well. Remove child resistant cap from top of bottle. Measure out required amount and mix in water. Replace child resistant cap.

CAUTION:

DO NOT use on edible crops. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. Keep children and pets away from treated areas until spray has dried.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, dry place out of the reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS:

May irritate the eyes. Avoid contact with the eyes. Wash hands after use. When opening the container, preparing the spray and used prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length PVC gloves. After each day's use wash contaminated clothing.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MSDS:

Additional information is listed in the Material Safety Data Sheet which can be obtained from the supplier.

DISCLAIMER:

This product is designed to be used only for the purposes indicated on the label. Failure to use the product strictly as directed may be dangerous and cause injury, may be illegal, and may also render the product ineffective. The buyer or user is responsible for any misuses or negligence in the handling, storage, use of or disposal of this material. JC & AT Searle Pty Ltd will not accept any responsibility of any kind, whether for consequential loss or otherwise, in connection with the supply and use of the product other than those responsibilities mandatorily imposed by statutes applicable to the safety and supply of these goods.

Searles®

Rose Pro™

Insect & Disease Spray

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Searles®

Rose Pro™

Insect & Disease Spray



ACTIVE CONSTITUENTS:

9.6 g/L TAU-FLUVALINATE
4.4 g/L MYCLOBUTANIL

**Controls Black Spot on Roses.
Controls Powdery Mildew, Rust
and kills Aphids, Thrips,
Native Budworm, Corn Earworm,
and Mites on roses and ornamentals.**

The bottle must not be sold separately.
Do not destroy box while product still remains.



Contents 200mL



RECYCLABLE
CARTON

Searles®

**Controls Black Spot on Roses.
Controls Powdery Mildew, Rust
and kills Aphids, Thrips, Native
Budworm, Corn Earworm, and
Mites on roses and ornamentals.**



JC & AT Searle Pty Ltd
4914 D'Aguilar Hwy, KILCOY QLD 4515
ABN 14 002 898 893
Phone: (07) 5422 3000
Email: searleh@searle.com.au

www.searles.com.au

BARCODE
9315138037530